



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	RICOH Europe SCM B.V., Blankenweg 24	
e-mail address	4612 RC Bergen op Zoom, Netherlands	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product * MFP				
Commercial name *	IM 550F			
Model number *	IM 550F			
Issue date *	14 June 2019			
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	te * 14 June 2019				
Product	environmental attributes - Legal requirements	Require	ment	met	
Item	dot on the online data batter Logar requirements		No	n.a.	
P1	Hazardous substances and preparations	Yes	-10		
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)				
P1.2*	, ,				
	Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	he 🔀			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee (see legal reference).	ek 🔀			
D4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*					
P2.3*	2.3* Batteries and accumulators are readily removable. (See legal reference)				
P3	Batteries and accumulators are readily removable. (See legal reference) Conformity verification & Eco design (ErP)				
P3.1*	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com				
P3.2*					
	Required information is; given in item P15 or added to this document,		\boxtimes		
	available at (add URL):				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes			
P4.3*	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available				
P5	(see legal reference).				
P5.1*	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium a	ınd 🔀			
	hexavalent chromium by weight of these together.		<u> </u>		
P5.2*	used (see legal reference).				
P5.3*	* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * IM 550F

Model number *	IM 550F	
Issue date *	14 June 2019	

Product	environmental attributes - Market requirements (See General NOTE GN below)			
- E		Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated congretaly are easily congretaly		$\overline{}$	
	Parts that have to be treated separately are easily separable		井	
P7.2*	Plastic materials in covers/housing have no surface coating.		<u> </u>	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u>Ц</u>	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: ABS, PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	_		_
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\square		
	Marking: FR(40)			
P7.17	<u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:		\boxtimes	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "(GGG TAG TE B4)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes	
	assigned the following Risk phrases; and Hazard statements:			
D= 0-:	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes	Ш	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a			
	percentage of total plastic by weight) is 4.58% .			
	b) The weight of recycled material is 638 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	del number * IM 550F								
Issue date	ssue date * 14 June 2019								
							ement		
Item							Yes	No	n.a.
P7.21*			ance requirements (c		NOTE B7):			\square	
P7.21* Biobased plastic material content is used in the product (See NOTE B7): If YES: at least one of the two alternatives below shall be answered:				Ш		ш			
					werea; c material content (calculat	ed as a percentage of			
			weight) is %.	e biebaeea piae	maioriai oomoni (oaioaiai	ou ao a porcemago er			
	or b) The	weight of t	he biobased plastic ma	aterial is g.					
P7.22*			ee from mercury, i.e. le		p.		\boxtimes		
			pecify: Number of lamp	os: and maxi	mum mercury content per l	amp: mg			
P8	Batteries		***						
P8.1*	-		mposition: Manganese	e dioxide lithium b	attery				Ш
P9 1			on (See NOTE B8)	OF ODOROV OODOV	tions are reported.				
P9.1		roduct the	following power levels						
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC		Reference/Standard modes and test metho		energy	Ш
Sleep mod			W	W	W				\boxtimes
STAR® Op (OM) produ		Mode							
Standby/off		•	W	W	W				\square
ENERGY STAR Operational									
Mode (OM) TEC value		CV CTAD	kWh/week	kWh/week	0.77 kWh/week				
TEC value		GISIAR	kvvn/week	KWII/Week	0.77 KVVII/Week				
(TEC= Typ		У							
Operating	mode		W	W	710 W				
Ready mo	de		W	W	88.2 W				
Sleep mod	le		W	W	0.65 W				
			W	W	W				
			W	W	W				
			W	W	W				
External Po	ower Supp	lv Efficienc	l :y Level (International F	Efficiency Marking F	Protocol) *:				
Print/Scan			55 images per minute		,				
			0 1						
			re mode: 1 minutes	- 1 2 d- d- 20- d-	a mandred				
P9.2*			e energy save function	n is provided with th	e product.			<u>Ц</u>	Ш
P10	Emission		Declared according to	CO 0206 (Can NOT	TE DO)				
P10.1	Mode		Declared according to logical ode description		Statistical upper limit A-wei	ahted sound power lev	rel		
	Mode	"	odo doscription		L _{WA,c} (B)	grilou douriu pomor iov	01,		
	Idle		stand-by	4	3.4				
	Operation	n * (Operating Mode	4	· 7.2				
	Other mo	ode							
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74					
			Other	only if not covered	by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Item Chemical emissions from printing products (See NOTE B10)	quirer Yes	nent No	met		
Item Chemical emissions from printing products (See NOTE B10)	Yes				
Item Chemical emissions from printing products (See NOTE B10)	Yes				
Chemical emissions from printing products (See NOTE B10)		No	n.a.		
	\boxtimes				
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic					
Equipment (ISO/IEC 28360), other specify: RAL-UZ205					
P10.3 Typical emission rate (operation phase) is (mg/h):			Ш		
Electrophotographic devices: Ozone <0.3 Dust <0.25 Styrene 0.19 Benzene <0.013 TVOC 7.59					
Ink devices: Dust Styrene Benzene TVOC					
Note: compliance with maximum emission rates in eco labels to be declared in P14.					
P11 Consumable materials for printing products					
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes				
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.					
P11.3* 2-sided (duplex) printing/copying is an integrated product function.	\boxtimes				
P11.4* The product is delivered to end-user with default auto-duplex enabled.	\boxtimes				
P13 Packaging and documentation					
P13.1* Product packaging material type(s): corrugated Paper weight (kg): 4.7					
Product packaging material type(s): <i>plastic (LDPE)</i> weight (kg): <i>0.273</i> Product packaging material type(s): weight (kg):	Product packaging material type(s): <i>plastic (LDPE)</i> weight (kg): <i>0.273</i>				
P13.2* Product plastic primary packaging is free from PVC.	\boxtimes				
For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-					
* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: %					
P13.4* Specify media for user and product documentation (tick box):					
Electronic , Paper , Other .					
P13.5 (Please only complete this item if paper documentation used)					
User and product documentation on paper media is chlorine-free:					
If Yes, please specify:					
Totally chlorine-free	\boxtimes				
Elemental chlorine-free					
Processed chlorine-free					
P14 Voluntary programs:					
P14.1 The product meets the requirements of the following voluntary program(s):					
ENERGY STAR® Criteria version: 3.0 Date: Product category:					
Eco-label: BAM Criteria version: RAL-UZ205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category:					
P15 Additional information (See NOTE B11)					
Sound pressure level at the operator position [LpA:dB(A)]					
Stand-by 30.8(dB)					
Operating mode 68.8(dB)					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1