



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	icoh Company Ltd.			
Contact information *	RICOH Europe SCM B.V., Blankenweg 24			
e-mail address	4612 RC Bergen op Zoom, Netherlands			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	of product * MFP			
Commercial name *	IM 600F			
Model number *	IM 600F			
Issue date *	14 June 2019			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		IM 600F				
Issue dat	e *	14 June 2019				
					emen	
Item				Yes	No	n.a.
P1		ous substances and preparations	0.75.5.1			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)		\boxtimes			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square		
1 1.5	hydrobro trichloro	omofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no material values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*				week		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🔀		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			legal 🔀		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		X			
P3	Conformity verification & Eco design (ErP)					
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see leg				
P3.2*	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com The product complies with the Eco design requirements for energy-related products,		com 🖂			
	(see legal reference).		_			
	Required information is;			\boxtimes		
		available at (add URL):				
P4		nable materials				
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).				
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referenc	ce).		
P4.3*	3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmiur	m and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the mate	erial(s)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	IM 600F	
Issue date *	14 June 2019	

	t environmental attributes - Market requirements (See General NOTE GN below)	D = ====!===		44	
-				t met	
Item P7	*=mandatory to fill in. Additional information regarding each item may be found under P14. Design			n.a.	
F /	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ	$\overline{}$	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ		
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools		Ħ		
P7.9.	Spare parts are available after end of production for: 7 years				
P7.10	Service is available after end of production for: 7 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
D= 10	Material type: ABS, PC+ABS Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.	_ <u>_</u>		<u>L</u> _	
P7.13	Insulation materials of internal electrical cables are PVC free.				
P7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts				
D7.45	containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "		\boxtimes		
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\square			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been				
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 4.58%. or b) The weight of recycled material is 638 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	IM600F							
Issue date	*	14 June 2	2019						
Product environmental attributes - Market requirements (continued)					Require		met		
Item				Yes	No	n.a.			
Material and substance requirements (continued) P7.21* Biobased plastic material content is used in the product (See NOTE B7):									
F1.21		•			•		Ш	\boxtimes	Ш
	,		of the two alternatives		wered; c material content (calculat	ed as a nercentage of	:		
			weight) is %.	ine biobasea piasti	e material content (calculat	cu as a percentage of			
	or			atamialia a					
D7.00*			he biobased plastic m						
P7.22*			ee from mercury, i.e. le pecify: Number of lam		np. Imum mercury content per l	amp: mg		Ш	Ш
P8	Batteries	<u> </u>	peony. Hamber of lam	os. una maxi	man mercary content per i	amp. mg			
P8.1*			mposition: Manganes	e dioxide lithium b	pattery				
P9	-		on (See NOTE B8)		•				
P9.1			following power levels	or energy consump	otions are reported:				
Energy mo			Power level at	Power level at		Reference/Standard	for e	energy	
			100 V AC	115 V AC		modes and test method			
Sleep mod			W	W	W				\boxtimes
STAR® Op		Mode							
(OM) produ Standby/of			W	W	W				
ENERGY			**	**	**				
Mode (OM									
TEC value TEC produ		GY STAR	kWh/week	kWh/week	0.84 kWh/week				
(TEC= Typ		У	W	W	758 W				
Operating									
Ready mo			W	W	88 W				Ш
Sleep mod	de		W	W	<i>0.65</i> W				
			W	W	W				
			W	W	W				
			W	W	W				
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *:		Protocol) * :							
Print/Scan			55 images per minute						
									<u> </u>
	Default time to enter energy save mode: 1 minutes								
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10	Emissio			100 0000 (0 110)					
P10.1			Declared according to			abted sound newer le	vol.		
P10.1	Mode	IVI	ode description		Statistical upper limit A-wei $L_{WA,c}$ (B)	grited sound power le	vei,		
	Idle	*	stand-by		* 3.3				
	Operation * Operating Mode * 7.3								
	Other mo	ode							
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74					
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	el number * IM 600F					
Issue date	e date * 14 June 2019					
Product	environ	mental attributes - Market requirements (continued)	Require	ment	met	
Item			Yes	No	n.a.	
	Chemical emissions from printing products (See NOTE B10)					
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic					
D40.0		nent (ISO/IEC 28360), other specify: RAL-UZ205				
P10.3	i ypicai	emission rate (operation phase) is (mg/h):			Ш	
	Electrop	photographic devices: Ozone <0.3 Dust <0.3 Styrene 0.13 Benzene <0.013 TVOC 4.59				
	Ink devi	rices: Dust Styrene Benzene TVOC				
	Note: co	compliance with maximum emission rates in eco labels to be declared in P14.				
P11		mable materials for printing products				
P11.1*		ty Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes			
P11.2*	Paper of EN 122	containing post-consumer recycled fibers can be used, provided that it meets the requirements 281.	of 🔀			
P11.3*	2-sided	d (duplex) printing/copying is an integrated product function.	\boxtimes			
P11.4*	The pro	oduct is delivered to end-user with default auto-duplex enabled.	\boxtimes			
P13		ging and documentation				
P13.1*		t packaging material type(s): corrugated paper weight (kg): 4.7				
		t packaging material type(s): plastic (LDPE) weight (kg): 0.273				
P13.2*	Product packaging material type(s): weight (kg): Product plastic primary packaging is free from PVC.					
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-					
	consumer recovered fiber content:					
P13.4*	Specify	media for user and product documentation (tick box):				
1 10.4	Electronic , Paper , Other					
P13.5	(Please only complete this item if paper documentation used)					
		nd product documentation on paper media is chlorine-free:	\boxtimes	Ш		
		please specify:	_			
	Totally chlorine-free					
	Elemental chlorine-free					
D4.4		sed chlorine-free				
P14 P14.1		ary programs: oduct meets the requirements of the following voluntary program(s):				
F 14.1	•					
	_	GY STAR® Criteria version: 3.0 Date: Product category: bel: BAM Criteria version: RAL-UZ205 Date: Product category: MFP				
	Eco-lab					
P15	Additio	onal information (See NOTE B11)				
		pressure level at the operator position [LpA:dB(A)]				
	Stand-by 30.3 (dB)					
	Operati	ting mode 69.6(dB)				

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1