



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo			
Company name *	Ricoh Company Ltd				
Contact information *	Ricoh Europe Plc, 20 Triton Street,				
e-mail address	ondon, NW1 3BF, United Kingdom				
Internet site *	www.ricoh.com				
Additional information					

	based on product specification or test results based obtained from sample testing), that the product onts given in this declaration.
Type of product *	Production Colour Printer
Commercial name *	Pro C7200sx Series
Model number *	Pro C7200sx
Issue date *	18-05-2018
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	Pro C7200sx	Logo
Issue date *	18-05-2018	

Produc	Product environmental attributes - Legal requirements					
Item	<u> </u>	Require Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)					
P1.2*	Products do not contain Asbestos (see legal reference).	Х				
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
	concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X				
	terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e X				
51.01	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel	ζ X				
	(see legal reference).					
D4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X				
P1.7*	emo@ricoh-europe.com	X				
P2	Batteries					
P2.1*				X		
F2.1	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal X					
F Z.Z	reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			Χ		
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).					
	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com					
P3.2*	The product complies with the Eco design requirements for energy-related products,		Х			
	(see legal reference).					
	Required information is; given in item P15 or added to this document,					
	available at (add URL):					
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see	X				
1 4.1	legal reference and NOTE B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	X				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	X				
	are Community workplace exposure limits, the product/packaging is adequately labeled according to					
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available					
	(see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and X					
	hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) X				
	used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre	al X				
	Protocol (see legal reference).					
DC	Comment: Legal reference has no maximum concentration values.					
P6 P6.1*	Treatment information	V				
r0.1	Information for recyclers/treatment facilities is available (see legal reference).	X				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	Pro C7200sx	Logo	
Issue date *	18-05-2018		

	t environmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design	Requirement met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes No n.a.
P7	Design	
	Disassembly, recycling	
² 7.1*	Parts that have to be treated separately are easily separable	Χ
² 7.2*	Plastic materials in covers/housing have no surface coating.	Χ
² 7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	Χ
² 7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	Χ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	Χ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	Χ
	Product lifetime	
P7.7 *	Upgrading can be done e.g. with processor, memory, cards or drives	Χ
P7.8*	Upgrading can be done using commonly available tools	Χ
7.9.	Spare parts are available after end of production for: 7 years	Χ
7.10	Service is available after end of production for: 7 years	Χ
	Material and substance requirements	
7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):	
	Material type: PC+ABS Material type: PC+PS Material type:	
7.12	Insulation materials of external electrical cables are PVC free.	X
7.13	Insulation materials of internal electrical cables are PVC free.	X
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	l 3
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)	, X
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:	X
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	X
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:	X
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)	X
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	X
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:	X
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)	
7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	X
	If YES; at least one of the two alternatives below shall be answered; Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten (calculated as a percentage of total plastic by weight) is a)0.017%.	t
	or 100	
	The weight of recycled material is b)6g	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

woder nur	Wodel Humber F10 C7200SX				Logo				
Issue date	ssue date * 18-05-2018								
Product	Product environmental attributes - Market requirements (continued) Requirement met							met	
Item							Ye		n.a.
no	Material :	and subst	ance requirements (c	continued)				0 110	ma.
P7.21* Biobased plastic material content is used in the product (See NOTE B7):						X			
	If YES; at least one of the two alternatives below shall be answered;								
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0.005%. or 								
	or b) The weight of the biobased plastic material is 1.765g.								
P7.22*	P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8	Batteries								
P8.1*	Battery ch	nemical co	mposition: Manganese	e Dioxide Lithium					
P9	Energy c	onsumpti	on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consump	tions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
STAR® O	de for ENEF perational N		W	W	W				X
(OM) prod	ucts ff mode for		W	W	W				X
	STAR Ope	rational	VV	VV	VV				^
	for ENER	GY STAR	kWh/week	kWh/week	11.711 kWh/week				
TEC produ									
	oical Energy	У	14/	14/	M 4007.0W				
Operating			W	W	Mono: 1837.9W Colour: 1786.8W				
Ready Mo	ode		W	W	317W				
Sleep Mod	de		W	W	2W				
			W	W	W				
			W	W	W				
			W	W	W				
External P	ower Supp	ly Efficiend	cy Level (International	Efficiency Marking F	Protocol) *:				X
Print/Scan	Speed *	:	85 images per minute						
Default tim	ne to enter	energy sav	ve mode: 60 minutes						
P9.2*	Information	on about th	ne energy save function	n is provided with th	e product.		X		
P10	Emission	าร							
			Declared according to						
P10.1	Mode		lode description		Statistical upper limit A-work (B)	eighted sound	power level,		
	Idle		Stand-by		[•] 7.8				
	Operation	1 *	Operating Mode	,	[•] 7.8				
Other mode									

(only if not covered by ECMA-74)

Measured according to: X ISO 7779 ECMA-74
Other (only if no

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	Pro C7200sx	Logo	
Issue date *	18-05-2018		

ed according to ECMA SO/IEC 28360), otl sion rate (operation pha- graphic devices: Ozone Ozone ance with maximum en e materials for printin a Sheet (SDS) is availa ning post-consumer re ex) printing/copying is s delivered to end-use and documentation	e < 0.4 Dust 0.5 Styrene 0.17 e < 0.4 Dust 0.89 Styrene 0.13 hission rates in eco labels to be of g products ble for the ink/toner preparation, ecycled fibers can be used, products	Benzene 0.077 TVOC 5.9 - Colour Benzene 0.08 TVOC 3.3 - Mono declared in P14.	X X i of X	No	n.a.			
ed according to ECMA SO/IEC 28360), otl sion rate (operation pha- graphic devices: Ozone Ozone ance with maximum en e materials for printin a Sheet (SDS) is availa ning post-consumer re ex) printing/copying is s delivered to end-use and documentation	-328 Determination of Chemical ner specify: <i>RAL-UZ171</i> ase) is (mg/h): e < 0.4 Dust 0.5 Styrene 0.17 e < 0.4 Dust 0.89 Styrene 0.13 hission rates in eco labels to be of groducts able for the ink/toner preparation, ecycled fibers can be used, proparation integrated product function.	Benzene 0.077 TVOC 5.9 - Colour Benzene 0.08 TVOC 3.3 - Mono declared in P14.	X					
ed according to ECMA SO/IEC 28360), otl sion rate (operation pha- graphic devices: Ozone Ozone ance with maximum en e materials for printin a Sheet (SDS) is availa ning post-consumer re ex) printing/copying is s delivered to end-use and documentation	-328 Determination of Chemical ner specify: <i>RAL-UZ171</i> ase) is (mg/h): e < 0.4 Dust 0.5 Styrene 0.17 e < 0.4 Dust 0.89 Styrene 0.13 hission rates in eco labels to be of groducts able for the ink/toner preparation, ecycled fibers can be used, proparation integrated product function.	Benzene 0.077 TVOC 5.9 - Colour Benzene 0.08 TVOC 3.3 - Mono declared in P14.	X					
graphic devices: Ozone Ozone ance with maximum en materials for printin a Sheet (SDS) is availa ning post-consumer re ex) printing/copying is s delivered to end-use nd documentation	ase) is (mg/h): e < 0.4 Dust 0.5 Styrene 0.17 e < 0.4 Dust 0.89 Styrene 0.13 hission rates in eco labels to be of the ink/toner preparation, ecycled fibers can be used, proparation integrated product function.	Benzene 0.08 TVOC 3.3 - Mono declared in P14.						
graphic devices: Ozone Ozone ance with maximum en materials for printin a Sheet (SDS) is availa ning post-consumer re ex) printing/copying is s delivered to end-use nd documentation	ase) is (mg/h): e < 0.4 Dust 0.5 Styrene 0.17 e < 0.4 Dust 0.89 Styrene 0.13 hission rates in eco labels to be of the ink/toner preparation, ecycled fibers can be used, proparation integrated product function.	Benzene 0.08 TVOC 3.3 - Mono declared in P14.						
Ozone ance with maximum en materials for printin a Sheet (SDS) is availa ning post-consumer re ex) printing/copying is s delivered to end-use nd documentation	e < 0.4 Dust 0.89 Styrene 0.13 hission rates in eco labels to be of products lible for the ink/toner preparation, ecycled fibers can be used, product fibers can be used, product function.	Benzene 0.08 TVOC 3.3 - Mono declared in P14.						
Ozone ance with maximum en materials for printin a Sheet (SDS) is availa ning post-consumer re ex) printing/copying is s delivered to end-use nd documentation	e < 0.4 Dust 0.89 Styrene 0.13 hission rates in eco labels to be of products lible for the ink/toner preparation, ecycled fibers can be used, product fibers can be used, product function.	Benzene 0.08 TVOC 3.3 - Mono declared in P14.						
ematerials for printing a Sheet (SDS) is available ining post-consumer read printing/copying is a delivered to end-use and documentation	products able for the ink/toner preparation, ecycled fibers can be used, product an integrated product function.	declared in P14. , even if not legally required (see P4.3).						
e materials for printing a Sheet (SDS) is available in post-consumer read ex) printing/copying is a delivered to end-use and documentation	g products able for the ink/toner preparation, ecycled fibers can be used, product function.	, even if not legally required (see P4.3).						
a Sheet (SDS) is available in a shee	an integrated product function.							
ning post-consumer re ex) printing/copying is s delivered to end-use nd documentation	ecycled fibers can be used, pro an integrated product function.							
ex) printing/copying is s delivered to end-use nd documentation	an integrated product function.	ovided that it meets the requirements	of X					
s delivered to end-use nd documentation			Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of X EN 12281.					
nd documentation	r with default auto-duplex enable	2-sided (duplex) printing/copying is an integrated product function.						
		ed.	X					
aging material type(c).								
aging material type(s): aging material type(s): aging material type(s):	Corrugated Paper Plastic weight (kg): 1.16 weight (kg):	weight (kg): 34.734						
Product plastic primary packaging is free from PVC.								
For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:					X			
a for user and product Paper X, Other	documentation (tick box):							
	aper documentation used) paper media is chlorine-free:		X					
ne-free lorine-free nlorine-free			X					
ograms:			·					
meets the requirement	s of the following voluntary progr	am(s):						
	ia version: 2.0 Date:	Product category: Produ	ction Printe	er				
AR® Criter	ia version: Date:							
	ia version: Date:	Product category:						
Criter Criter								
Criter Criter Iformation (See NOTE								
	AR® Criter	TAR® Criteria version: 2.0 Date: Criteria version: Date: Criteria version: Date: Criteria version: Date: nformation (See NOTE B11)	TAR® Criteria version: 2.0 Date: Product category: Product Category: Product Category: Product Category: Criteria version: Date: Product category: Product C	TAR® Criteria version: 2.0 Date: Product category: Production Printe Criteria version: Date: Product category: Criteria version: Date: Product category: Pro	TAR® Criteria version: 2.0 Date: Product category: Production Printer Criteria version: Date: Product category: Criteria version: Date: Product category: Pr			

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1